

Appendix 1. Rectal tubes, defunctioning stomas and drain use in low pelvic colorectal resections and ileal pouches

CSSANZ code:	
 Surgeon age: Location of practice: Years in consultant practice: 	
4. Number (approx.) rectal resections per year: 5. Number (approx.) ileal pouches per year:	
Ileostomy Preferences:	
The use of a covering loop ileostomy may not prevent an anastomotic leak but there is some evidence that it mitigates the consequences.	
6. In patients who have not had pre-operative radiotherapy, do you use or plan to use a covering loop ileostomy for low pelvic colorectal anastomoses (ie. ULAR or low anterior resections) ? All cases/ mandatory Selectively Never Percentage (approx. proportion of cases)	
7. A loop ileostomy in ileal pouch surgery is more difficult to construct than after a colorectal anastomosis. Do you use or plan to use a covering loop ileostomy for ileal pouch procedures (IPAA) in: All cases/ mandatory Selectively Percentage (approx. proportion of cases) Never	
For low colorectal anastomoses:	
8. At what risk, or greater, of anastomotic leak in low pelvic colorectal anastomoses do you consider a defunctioning ileostomy is in the patient's best interest:%;	
For Ileal Pouches:	
9. At what risk, or greater, of anastomotic leak, in ileal pouches, do you consider a defunctioning ileostomy is in the patient's best interest:%;	
Rectal tube usage:	
10. Rectal tube use in low pelvic anastomoses: All Selectively Never	
If do use a rectal tube, how long is it left? 5 days 7 days Other:	

8 www.coloproctol.org

11. Rectal tube use in Ileal	
All	о п
Selectively	0
Never	
If do use a rectal tube, how I	ong is it left?
5 days	
7 days	
Other:	days Comment:
Pelvic Drains:	
12. There remains controver	sy in the use of drains in pelvic surgery. Do you use or plan to use drains in:
All/mandatory	
Selectively	
Never	
If you do use a pelvic drain, h	now long is it left?
Minimum 5 days	
Minimum 7 days	
Until stops draining	
Other	_ days Comment:
6	
Gastrografin Usag	e:
13. Do vou use Gastrografin	in ileus or SBO? Yes □ No □ Sometimes □
	grafin for diagnosing an anastomotic leak (in combination with any imaging
modality)? Yes 🗖 No	
15. Do you use Gastrografin	(in combination with any imaging modality) to confirm a defunctioned anastomosis has
healed?	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Yes 🗖 No	
Thank you for your time the	se results will be presented at the Spring Meeting in Fremantle.
a.ii. you for your time, the	so results it so presented at the spring meeting in Fremunite.
David Clark & Prog Stonbons	on

www.coloproctol.org 9